



Data, Information and Process Integration
with Semantic Web Services

DIP

Data, Information and Process Integration with Semantic Web Services

FP6 - 507483

Deliverable

WP 9: Case Study eGovernment

D9.10

GIS WSMO descriptions

Alessio Gugliotta

John Domingue

Vlad Tanasescu

Leticia Gutierrez

Mary Rowlatt

Robert Davies

February 26th, 2006

EXECUTIVE SUMMARY

This document provides the WSMO descriptions for the Semantic Web Services developed for 'GIS prototype' (also referred here as the *Emergency planning prototype*) as described in previous WP9.6 deliverable. This application is intended to support decision making processes in the emergency field within Essex County Council (ECC) and its partners. We outline a Semantic GIS system; several data sources and services are made available through Semantic Web Services, while ontologies allow computers to interoperate and combine information, creating a comprehensive response adapted to user needs. The reported descriptions include domain ontologies for ECC Emergency Planning (View Essex), Meteorological Office, and Buddy Space related services as well as descriptions of WSMO goals, Web Services and Mediators developed in IRS-III.

This deliverable is directly related to deliverable D9.9 (GIS Ontology).

Document Information

IST Project Number	FP6 – 507483	Acronym	DIP
Full title	Data, Information, and Process Integration with Semantic Web Services		
Project URL	http://dip.semanticweb.org		
Document URL			
EU Project officer	Kai Tullius		

Deliverable	Number	9.10	Title	GIS WSMO descriptions
Work package	Number	9	Title	Case study e-Government

Date of delivery	Contractual	M 24	Actual	28-Feb-06
Status	version. 1.00		final	<input checked="" type="checkbox"/>
Nature	Prototype <input type="checkbox"/> Report <input checked="" type="checkbox"/> Dissemination <input type="checkbox"/>			
Dissemination Level	Public <input type="checkbox"/> Consortium <input checked="" type="checkbox"/>			

Authors (Partner)	OU, Essex County Council			
Responsible Author	Alessio Gugliotta		Email	a.gugliotta@open.ac.uk
	Partner	OU	Phone	+44 1908-655790




Abstract (for dissemination)	WP9 is about a case study on e-government. This document provides the WSMO descriptions for the Semantic Web Services developed for the 'GIS prototype'.
Keywords	WSMO descriptions, GIS prototype

Version Log			
Issue Date	Rev No.	Author	Change
27.02.2006	001	Alessio Gugliotta	Creates initial version of the Document
	002		
	003		
	004		

Project Consortium Information

Partner	Acronym	Contact
National University of Ireland Galway	NUIG 	Prof. Dr. Christoph Bussler Digital Enterprise Research Institute (DERI) National University of Ireland, Galway Galway Ireland Email: chris.bussler@deri.org Tel: +353 91 512460
Fundacion De La Innovacion.Bankinter	Bankinter 	Monica Martinez Montes Fundacion de la Innovacion. BankInter Paseo Castellana, 29 28046 Madrid, Spain Email: mmtnez@bankinter.es Tel: 916234238
Berlecon Research GmbH	Berlecon 	Dr. Thorsten Wichmann Berlecon Research GmbH Oranienburger Str. 32 10117 Berlin, Germany Email: tw@berlecon.de Tel: +49 30 2852960
British Telecommunications Plc.	BT 	Dr John Davies BT Exact (Orion Floor 5 pp12) Adastral Park Martlesham Ipswich IP5 3RE, United Kingdom Email: john.nj.davies@bt.com Tel: +44 1473 609583
Swiss Federal Institute of Technology, Lausanne	EPFL 	Prof. Karl Aberer Distributed Information Systems Laboratory École Polytechnique Fédérale de Lausanne Bât. PSE-A 1015 Lausanne, Switzerland Email : Karl.Aberer@epfl.ch Tel: +41 21 693 4679
Essex County Council	Essex 	Mary Rowlett, Essex County Council PO Box 11, County Hall, Duke Street Chelmsford, Essex, CM1 1LX United Kingdom. Email: maryr@essexcc.gov.uk

		Tel: +44 (0)1245 436524
Forschungszentrum Informatik	<p>FZI</p> 	<p>Andreas Abecker Forschungszentrum Informatik Haid-und-Neu Strasse 10-14 76131 Karlsruhe Germany Email: abecker@fzi.de Tel: +49 721 9654 0</p>
Institut für Informatik, Leopold-Franzens Universität Innsbruck	<p>UIBK</p> 	<p>Prof. Dieter Fensel Institute of computer science University of Innsbruck Technikerstr. 25 A-6020 Innsbruck, Austria Email: dieter.fensel@deri.org Tel: +43 512 5076485</p>
ILOG SA	<p>ILOG</p>  <p>Changing the rules of business</p>	<p>Christian de Sainte Marie 9 Rue de Verdun, 94253 Gentilly, France Email: cma@ilog.fr Tel: +33 1 49082981</p>
inubit AG	<p>Inubit</p>  <p>the integration experts</p>	<p>Torsten Schmale inubit AG Lützowstraße 105-106 D-10785 Berlin Germany Email: ts@inubit.com Tel: +49 30726112 0</p>
Intelligent Software Components, S.A.	<p>iSOCO</p> 	<p>Dr. V. Richard Benjamins, Director R&D Intelligent Software Components, S.A. Pedro de Valdivia 10 28006 Madrid, Spain Email: rbenjamins@isoco.com Tel. +34 913 349 797</p>
The Open University	<p>OU</p> 	<p>Dr. John Domingue Knowledge Media Institute The Open University, Walton Hall Milton Keynes, MK7 6AA United Kingdom Email: j.b.domingue@open.ac.uk Tel.: +44 1908 655014</p>
SAP AG	<p>SAP</p> 	<p>Dr. Elmar Dorner SAP Research, CEC Karlsruhe SAP AG Vincenz-Priessnitz-Str. 1</p>

		<p>76131 Karlsruhe, Germany</p> <p>Email: elmar.dorner@sap.com</p> <p>Tel: +49 721 6902 31</p>
Sirma AI Ltd.	<p>Sirma</p> 	<p>Atanas Kiryakov,</p> <p>Ontotext Lab, - Sirma AI EAD</p> <p>Office Express IT Centre, 3rd Floor</p> <p>135 Tzarigradsko Chausse</p> <p>Sofia 1784, Bulgaria</p> <p>Email: atanas.kiryakov@sirma.bg</p> <p>Tel.: +359 2 9768 303</p>
Unicorn Solution Ltd.	<p>Unicorn</p> 	<p>Jeff Eisenberg</p> <p>Unicorn Solutions Ltd,</p> <p>Malcha Technology Park 1</p> <p>Jerusalem 96951</p> <p>Israel</p> <p>Email: Jeff.Eisenberg@unicorn.com</p> <p>Tel.: +972 2 6491111</p>
Vrije Universiteit Brussel	<p>VUB</p> 	<p>Carlo Wouters</p> <p>Starlab- VUB</p> <p>Vrije Universiteit Brussel</p> <p>Pleinlaan 2, G-10</p> <p>1050 Brussel ,Belgium</p> <p>Email: carlo.wouters@vub.ac.be</p> <p>Tel.: +32 (0) 2 629 3719</p>

ACRONYMS/GLOSSARY

ECC Essex County Council

GIS Geographical Information Systems

SW Semantic Web

SWS Semantic Web Service(s)

WS Web Service

WSDL Web Service Definition Language

WSMO Web Service Modelling Ontology

WP9 Work package 9

TABLE OF CONTENTS

EXECUTIVE SUMMARY	I
ACRONYMS/GLOSSARY	VI
TABLE OF CONTENTS	VII
1 INTRODUCTION	9
2 OVERVIEW OF THE EMERGENCY PLANNING PROTOTYPE	9
2.1 Architecture	9
2.2 Data.....	10
2.3 Services.....	11
3 WSMO DESCRIPTIONS	11
3.1 Domain Ontologies.....	11
3.2 WSMO Goals, Web Services and Mediators	12
REFERENCES	16
ANNEX 1 – LIBRARIES OF WSMO DESCRIPTIONS.	17

LIST OF FIGURES

Figure 1. Architecture: the gray boxes represent the main modules of our EMS.	10
Figure 2. Sample structure of WSMO description.	15
Figure 3. Library of WSMO Goal, Mediator, and Web Service descriptions for describing 'ECC Emergency Planning'	17
Figure 4. Library of WSMO Goal, Mediator, and Web Service descriptions for describing 'BuddySpace'	18

1 INTRODUCTION

This document provides the WSMO descriptions for the Semantic Web Services developed for ‘GIS prototype’ (also referred here as the *Emergency planning prototype*) as described in previous WP9.6 deliverable.

The resulting system retrieves, displays, and allows users to interact with emergency related information: weather forecasts, available rescue corps, evacuation procedures, supplies providers, available rest centres, categories of affected and vulnerable people, nature and location of damaged or endangered facilities, access of critical spots, etc. It assists the emergency planner officer in the task of automatically gathering relevant information in a particular emergency situation. Agencies can choose only to expose selected functionalities, without providing restricted and sensitive/private data. As a result, involved agencies become able extend their knowledge about the emergency situation by making use of different functionalities based on data hold by other agencies which otherwise might not be accessible to them or slow to obtain.

The following WSMO descriptions were developed using IRS-III and include domain ontologies for the ECC Emergency Planning (View Essex), Meteorological Office, and Buddy Space related services.

These descriptions are still under development as new information and data sources come up from the research being done by WP9 members. Therefore this document will be updated with new versions as soon as they are ready.

2 OVERVIEW OF THE EMERGENCY PLANNING PROTOTYPE

The context of the prototype is the Essex County Council (ECC) Emergency Planning Department. ECC is a large local authority in South East England (UK). Following several interviews with SRD holders in ECC it was decided to focus the scenario on the ECC Emergency Planning department, and more concretely, on a real past emergency situation: a snowstorm which occurred in the vicinity of Stansted airport on 31ST January 2003 [2]. The EMS prototype is a decision support system, which assists the end user –currently the Emergency Planning Officer (EPO), but extensible to other emergency corps: ambulance service, fire service, police, etc. – in gathering information related to a certain type of event, quicker and more accurately.

Data was replicated – from ECC Emergency Department and the Meteorological Office, in order to compare EPOs decisions regarding contact with rescue corps and voluntary associations, the actions necessary to provide refuge and supplies to trapped travelers, etc. – with those of the prototype users.

2.1 Architecture

Figure 1 shows the overall architecture of our prototype.




Figure 1. Architecture: the grey boxes represent the main modules of our EMS.

The data and functionalities of the involved data sources are exposed by means of Web Services, semantically described by Ontologies, and accessible to the EPO through the EMS Web Application which presents a web interface using Google Maps [1]. At the heart of the system lies IRS-III; it handles accommodation, environment and presence goal invocations, discovers and selects the SWS that satisfies the goals, manages SWS orchestration and mediation, executes the WS, and returns the WS mediated results.

2.2 Data

The EMS aggregates data and functionalities from three different sources:

- *Meteorological Office* in the UK, which provides environmental (e.g. weather forecast) data.
- *ECC Emergency Planning* is a collaboration between ECC and British Telecommunications (BT) which resulted in the creation and maintenance of central spatial data repository for the County, related agencies such as district councils, and eventually the general public (via the Internet) as expected by it [3]. We adopt it for retrieving SRD and, in particular, accommodation information regarding the buildings that can be used as shelters during an emergency.
- *BuddySpace* is an Instant Messaging client providing lightweight communication and collaboration means [4]. It allows: (i) presence management, (ii) customizable and interactive graphical visualizations (e.g. maps), (iii) automated contact list generation which eases access to a community, and (iv) a high degree of scalability. The client is built on top of the instant messaging protocol Jabber [5] that supports conversations and presence awareness. More context information can be pushed or requested from location-aware technology or knowledge of a particular community. Filtering of such contextual information, provided by BuddySpace, allows users or systems to find relevant people (functional role and spatial position) in a given

emergency situation, and to easily interact with them through text chat. Interestingly enough in an emergency situation, BuddySpace client interfaces can be accessed using smartphones.

2.3 Services

We distinguish two classes of services: *data* and *smart*. The former refer to the three data sources introduced above, and are exposed by means of WS:

- *Meteorological Office service*. It provides weather information (e.g. snowfall) in specific square spatial areas.
- *Emergency Planning services*. They provide the following SRD: *primary* and *temporary rest centres, hotels, inns, hospitals, and supermarkets*. Each WS requires a query area as input, and returns the list of required shelters in that area, together with their properties, such as address, key holder, telephone number, etc. The query area is a circle represented by the centre point (in longitude and latitude) and a radius.
- *BuddySpace services*. They allow the EPO to connect to BuddySpace system, retrieve the list of relevant presences, and disconnect.

Smart services represent specific emergency planning reasoning and operations on the data provided by the data services. They are implemented in Common Lisp and published by means of IRS-III. In particular, we created some *Filter Services* that select the GIS data responding to emergency-specific requirements (e.g. rest centres with heating system, hotels with at least 40 beds, easy accessible hospital, etc.). They describe the usual EPOs selection criteria and protocols. As a result the EPO automatically receive only the most suitable information in a specific situation.

3 WSMO DESCRIPTIONS

3.1 Domain Ontologies

The following ontologies have been developed to semantically support the SWS:

- *GUI Ontology*: this ontology is composed of user-oriented concepts, and allows to further specialize the lowered results on the particular interface which is used (e.g. stating that Google Maps API is used, defining ‘pretty names’, etc).
- *Archetypes Ontology*: this minimal ontological commitment tries to provide a cognitively meaningful insight into the nature of a specialized object; by conveying the cognitive (‘naïve’) feeling that e.g. a hospital, as a ‘container’ of people and provider of ‘shelter’ can be assimilated to the more universal concept of ‘house’, considered as an archetypal concept (they are related to and include ‘image schemata’ which require minimal explanation). It is assumed that any client, whilst maybe lacking the specific representation for the concept, knows how to display such archetypes.
- *SGIS Spatial Ontology*: describes high level but common concepts of GIS, such as points, spatial objects with attributes, polygons, and fields.
- *Meteorology, Emergency Planning and Jabber Domain Ontology*: representing the concepts used to describe the services attached to the data sources, such as snow and

rain for Met Office, hospitals and supermarkets for ECC Emergency Planning, session and presences for Jabber.

The existence of several domain ontologies reflects our decoupling approach, where the different actor viewpoints/terminologies (user and two data providers) are independently represented.

3.2 WSMO Goals, Web Services and Mediators

The WSMO based Goals, Mediators, and Web Services descriptions of our prototype refer to the Met Office, ECC Emergency Planning, and BuddySpace WS. In Annex 1, we report two IRS-III browser screenshots that show the complete list of the developed WSMO descriptions.

Goal descriptions are related to user ontologies, while Web Service descriptions are linked to domain ones. Finally, mediators link goal and web services of each ontology, solving existing mismatches.

To illustrate this interaction, we describe in the following (Figure 2) the structure of the WSMO descriptions associated with one of the goals (*Get-Polygon-GIS-data-with-Filter-Goal*).

```
(DEF-CLASS GET-POLYGON-GIS-DATA-WITH-FILTER-GOAL
  (GOAL)
  ?GOAL
  ((HAS-INPUT-ROLE
    :VALUE
    HAS-METHOD
    :VALUE
    HAS-POLYGON-POINTS
    :VALUE
    HAS-SPATIAL-OBJECT-QUERY)
  (HAS-INPUT-SOAP-BINDING
    :VALUE
    (HAS-METHOD "string")
    :VALUE
    (HAS-POLYGON-POINTS "sexpr")
    :VALUE
    (HAS-SPATIAL-OBJECT-QUERY "sexpr")))
  (HAS-OUTPUT-ROLE :VALUE HAS-POLYGON-GIS-DATA)
  (HAS-OUTPUT-SOAP-BINDING
    :VALUE
    (HAS-POLYGON-GIS-DATA "xml"))
  (HAS-METHOD :TYPE METHOD)
  (HAS-POLYGON-POINTS :TYPE LIST)
  (HAS-SPATIAL-OBJECT-QUERY :TYPE SPATIAL-OBJECT-QUERY)
  (HAS-POLYGON-GIS-DATA :TYPE LIST)
  (HAS-NON-FUNCTIONAL-PROPERTIES
    :VALUE
    GET-POLYGON-GIS-DATA-WITH-FILTER-GOAL-NON-FUNCTIONAL-PROPERTIES)))
```

This goal describes the request of a class of shelter (hospital, inn, hotel, etc.) in a delimited query area. The user (i) specifies the query area through a sequence of at least three points (a polygon) before (ii) selecting the requested class of shelter. The ECC Emergency Planning WS return the specific class of shelter in a circular query area. The obtained results have to be filtered in order to return only the shelter responding to the emergency-specific requirements (in our case study a snowstorm).

The problems are: (1) selecting the adequate ECC Emergency Planning WS; (2) meditating the difference in area representations (polygon vs circular) between goal and the web services; (3) orchestrating the retrieve and filter data operations.

As described in [6] and [7], IRS-III offers approaches to solve these problems:

1. *WS Selection*: each WSMO description of an ECC Emergency Planning service defines, in its capability, the specific class of shelter that the service provides. All descriptions are linked to the *Get-Circle-GIS-Data-Goal* by means of a unique wg-mediator. The inputs of the goal specify the class of shelter, and the circular query area. At invocation IRS-III discovers through the wg-mediator all web services associated to it, and selects one on the base of the specific class of shelter described in web-service capabilities.

```

;; Goal
(DEF-CLASS GET-CIRCLE-GIS-DATA-GOAL
  (GOAL)
  ?GOAL
  ((HAS-INPUT-ROLE
    :VALUE
    HAS-METHOD
    :VALUE
    HAS-LATITUDE
    :VALUE
    HAS-LONGITUDE
    :VALUE
    HAS-RADIUS
    :VALUE
    HAS-SPATIAL-OBJECT-QUERY)
  (HAS-INPUT-SOAP-BINDING
    :VALUE
    (HAS-METHOD "string")
    :VALUE
    (HAS-LATITUDE "float")
    :VALUE
    (HAS-LONGITUDE "float")
    :VALUE
    (HAS-RADIUS "int")
    :VALUE
    (HAS-SPATIAL-OBJECT-QUERY "sexpr")))
  (HAS-OUTPUT-ROLE :VALUE HAS-GIS-DATA)
  (HAS-OUTPUT-SOAP-BINDING :VALUE (HAS-GIS-DATA "xml"))
  (HAS-METHOD :TYPE METHOD)
  (HAS-LATITUDE :TYPE FLOAT)
  (HAS-LONGITUDE :TYPE FLOAT)
  (HAS-RADIUS :TYPE INTEGER)
  (HAS-GIS-DATA :TYPE LIST)
  (HAS-SPATIAL-OBJECT-QUERY :TYPE SPATIAL-OBJECT-QUERY)
  (HAS-NON-FUNCTIONAL-PROPERTIES
    :VALUE
    GET-GIS-DATA-GOAL-NON-FUNCTIONAL-PROPERTIES)))

;; Mediator
(DEF-CLASS GET-CIRCLE-GIS-DATA-MEDIATOR
  (WG-MEDIATOR)
  ?MEDIATOR
  ((HAS-SOURCE-COMPONENT :VALUE GET-CIRCLE-GIS-DATA-GOAL)
  (HAS-NON-FUNCTIONAL-PROPERTIES
    :VALUE
    GET-GIS-DATA-MEDIATOR-NON-FUNCTIONAL-PROPERTIES)))

;; Example of WS and Its Capability
(DEF-CLASS GET-ECC-HOSPITALS-WEB-SERVICE
  (WEB-SERVICE)
  ?WEB-SERVICE
  ((HAS-CAPABILITY
    :VALUE
    GET-ECC-HOSPITALS-WEB-SERVICE-CAPABILITY)
  (HAS-INTERFACE
    :VALUE
    GET-ECC-HOSPITALS-WEB-SERVICE-INTERFACE)
  (HAS-NON-FUNCTIONAL-PROPERTIES
    :VALUE
    GET-ECC-HOSPITALS-WEB-SERVICE-NON-FUNCTIONAL-PROPERTIES)))

```

```
(DEF-CLASS GET-ECC-HOSPITALS-WEB-SERVICE-CAPABILITY
  (CAPABILITY)
  ?CAPABILITY
  ((USED-MEDIATOR :VALUE GET-GIS-DATA-MEDIATOR)
   (HAS-ASSUMPTION
    :VALUE
    (KAPPA
     (?WEB-SERVICE)
     (= (WSMO-ROLE-VALUE
          ?WEB-SERVICE
          'HAS-SPATIAL-OBJECT-QUERY)
        'HOSPITALSQUERY))))
   (HAS-NON-FUNCTIONAL-PROPERTIES
    :VALUE
    GET-ECC-HOSPITALS-WEB-SERVICE-CAPABILITY-NON-FUNCTIONAL-PROPERTIES)))
```

2. *Area mediation and orchestration: Get-Polygon-GIS-data-with-Filter-Goal* is associated to a unique web service that orchestrates – invoking in sequence – three sub-goals: the first simply gets the list of polygon points from the input; the second is the above mentioned *Get-Circle-GIS-Data-Goal*; finally, the third invokes the smart service that filters the list of GIS data.

```
;; orchestration
(DEF-CLASS GET-POLYGON-GIS-DATA-WITH-FILTER-WEB-SERVICE-INTERFACE-ORCHESTRATION-PROBLEM-
SOLVING-PATTERN
  (PROBLEM-SOLVING-PATTERN)
  ((HAS-BODY
   :VALUE
   ((ORCH-SEQ
    GET-POLYGON-GIS-DATA-GOAL
    GET-GIS-DATA-GOAL
    GIS-FILTER-GOAL))))))
;; gg mediator

(DEF-CLASS POLYGON-TO-CIRCLE-CENTER-LATITUDE-GG-MEDIATOR
  (GG-MEDIATOR)
  ?MEDIATOR
  ((HAS-SOURCE-COMPONENT :VALUE GET-POLYGON-GIS-DATA-GOAL)
   (HAS-TARGET-COMPONENT :VALUE GET-GIS-DATA-GOAL)
   (HAS-MEDIATION-SERVICE
    :VALUE
    POLYGON-TO-CIRCLE-CENTER-LATITUDE-GOAL)
   (HAS-NON-FUNCTIONAL-PROPERTIES
    :VALUE
    POLYGON-TO-CIRCLE-CENTER-LATITUDE-GG-MEDIATOR-NON-FUNCTIONAL-PROPERTIES)))
```

The first two sub-goals are linked by means of three gg-mediators (ggM) that convert the list of polygon points provided by the first sub-goal to the centre (latitude and longitude) and radius of the circle that circumscribe that polygon. To accomplish this, we created three mediation services invoked through: *Polygon-to-Circle-Lat-Goal*, *Polygon-to-Circle-Lon-Goal*, and *Polygon-to-Circle-Rad-Goal* (wg-mediators and web services balloons were omitted to avoid cluttering the diagram). The results of the mediation services and the class of shelter are the inputs of the second sub-goal. A unique gg-mediator connects the output of the second to the input of the third sub-goal. No mediation service is necessary.




Figure 2. Sample structure of WSMO description.

REFERENCES

- [1] **Google. Google maps/local.** <http://maps.google.com/>.
- [2] **DIP WP 9: Case Study eGovernment. D9.6. GIS Requirements Specification.** Leticia Gutiérrez, Mary Rowlatt, Rob Davies, Alexander Wahler, Bernhard Peissl, May, 2005.
- [3] **The Guardian, Newspaper Article,** <http://technology.guardian.co.uk/weekly/story/0,,1731386,00.html>
- [4] **Instant messaging + maps = powerful collaboration tools for distance learning.** M. Eisenstadt, J. Komzak, M. Dzbor. In Proceedings of TelEduc03, Havana, Cuba, (2003).
- [5] **Jabber,** <http://www.jabber.org/>
- [6] **IRS-III: A Platform and Infrastructure for Creating WSMO-based Semantic Web Services.** Domingue, L. Cabral, F. Hakimpour, D. Sell and E. Motta. Proceedings of the Workshop on WSMO Implementations, Frankfurt, Germany. CEUR Workshop Proceedings, Vol. 113, (2004).
- [7] **Mediation of semantic web services in IRS-III.** L. Cabral and J. Domingue. In Proceedings of the Workshop on Mediation in Semantic Web Services. Amsterdam, The Netherlands, (2005).

ANNEX 1 – LIBRARIES OF WSMO DESCRIPTIONS.



Figure 3. Library of WSMO Goal, Mediator, and Web Service descriptions for describing ‘ECC Emergency Planning’.



Figure 4. Library of WSMO Goal, Mediator, and Web Service descriptions for describing ‘BuddySpace’.